
HP Clear Film





The HP Designjet printing system—the complete solution

HP Designjet printers, Original HP inks and printheads, Original HP printing materials and HP Scitex printers, are designed to work together as a system to provide reliable, consistent results with every print.



Give your ideas a photo-realistic finish

Keep your projects on track and demonstrate the quality and professionalism of your work with this optically clear, recyclable⁽¹⁾ film. Produce multiple overlays and transparent images with excellent line quality and consistent, vivid color.

Accomplish more with consistent results every time

Look to this professional-quality film to present your professional best. Produce sharp line quality and consistent, vivid color with a film designed to provide excellent bleed control and strong ink adhesion to prevent ink transfer between overlays.

Keep a brisk pace from one project to the next

Meet your project deadlines. Compatible with a wide range of HP Designjet printers using both Original HP dye- and pigment-based inks, this optically clear film provides high-quality, consistent image quality print to print and roll to roll.

Print with the environment in mind

Help meet the environmental objectives of your company—and your clients. HP Clear Film is included in the HP Large Format Media take-back program1), a free and convenient return and recycling program.

Target customers	Applications	Benefits
Architects	Trade show and event displays	Sharp line quality; consistent, vivid color
Engineers	POP and retail displays	Excellent bleed control for sharp images
Geographic Information Systems (GIS) professionals	Geographic Information Systems (GIS)	Strong ink adhesion prevents ink transfer between layers
	Architecture (AEC) and engineering (MCAD)	Compatible with both Original HP dye- and pigment-based inks
		Recyclable through the HP Large Format Media take-back program¹

Technical specifications



HP Clear Film

For the latest ICC/media profiles and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit **globalBMG.com/hp/**.

Weight	174 g/m² per ISO 536 Tes	174 g/m² per ISO 536 Test Method					
Thickness	133 microns/5.2 mil per	133 microns/5.2 mil per ISO 534 Test Method					
Opacity	8% per TAPPI T-425 Test	8% per TAPPI T-425 Test Method					
Brightness	Greater than 95% per TAI	Greater than 95% per TAPPI T-452 Test Method					
Whiteness	130 per CIE Ganz 82 Test	130 per CIE Ganz 82 Test Method					
Finish	Matte	Matte					
Operating temperature	15 to 35° C / 59 to 95° F	15 to 35° C / 59 to 95° F					
Operating humidity	20 to 70% RH	20 to 70% RH					
Dry time	Less than 9 minutes (at 2	Less than 9 minutes (at 23° C, 50% RH)					
Shelf life	2 years, unopened in orig	2 years, unopened in original packaging					
Storage temperature	5 to 40° C / 41 to 104° F	5 to 40° C / 41 to 104° F					
Storage humidity	10 to 80% RH	10 to 80% RH					
Recyclability	Recyclable through comr	Recyclable through commonly available recycling programs					
Country of origin	Product of France	Product of France					
Ordering information	Product numbers	Roll sizes	UPC Codes	Region			
	C3876A1	610 mm x 22,9 m (24 in x 75 ft)	848412012736	Worldwide			
	C3875A	914 mm x 22,9 m (36 in x 75 ft)	848412012743	Worldwide			
Marrantu	HP large format prir	nting materials are free from defect	s in materials and w	orkmanship. For warrant			
Warranty	statement please see globalBMG.com/hp/MediaWarranties .						





For detailed information on the HP large format printing materials portfolio and to order, see globalBMG.com/hp/

