
HP Premium Matte Photo Paper





The HP large format printing system—the complete solution

HP Designjet, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



- With Original HP 91 or HP 70 Photo Inks. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see globalBMG.com/hp/t/ printpermanence.
- With Original HP 91 or HP 70 Photo Inks or Original HP 83 UV inks. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see globalBMG.com/hp/t/ printpermanence.
- With Original HP 771 Vivid Photo Inks, Original HP 91 Photo Inks, Original HP 70 Photo Inks, or HP 83 UV inks. Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see globalBMG.com/hp/t/printpermanence.

See rich, lustrous photo-realistic image quality

Achieve vibrant color with an elegant finish

When the design requires a premium touch to capture the best of digital fine art, look to this heavy, matte-finish photo paper with an elegant, smooth finish. From full-color graphics to photo-realistic images, see lustrous highlights, rich details.

Enable worry-free handling

Move quickly and smoothly through post-print processing. Instant-dry prints—even with high ink densities—enable immediate handling and lamination. Excellent film laminate compatibility gives you options.

Create a wide range of durable photo applications

Produce a wide array of graphics-display applications and print with both Original HP dyeand pigment-based inks. Deliver prints with over 200 years indoor display permanence.¹ Offer unlaminated, water-resistant prints.²

Applications	Benefits		
Photo enlargements	Highly-saturated, photo-realistic images		
Posters and presentations	Vibrant color on an elegant, smooth finish		
Trade show and event displays	Flat, smooth prints even under high ink densities		
POP and retail displays	Excellent film laminate compatibility		
	Instant-dry prints with unlaminated water resistance ²		
	Up to 3 years laminated, 1+ years unlaminated inwindow display permanence ³		
	200+ years indoor display permanence ¹		
	Compatible with both Original HP dye- and pigment-based inks		
	Photo enlargements Posters and presentations Trade show and event displays POP and retail		

Technical specifications



HP Premium Matte Photo Paper

For the latest ICC profiles/paper presets and a variety of resources to help you get the most out of your printer and HP large format materials, please visit **globalBMG.com/hp/**.

Weight	210 g/m² per ISO	210 g/m² per ISO 536 Test Method					
Thickness	264 microns /10.4 mil per ISO 534 Test Method						
Opacity	98% per TAPPI T-425 Test Method						
Brightness	91% per TAPPI T-452 Test Method						
Whiteness	130 per CIE Ganz 82 Test Method						
Finish	Matte						
Operating temperature	15 to 35° C / 59 to 95° F						
Operating humidity	20 to 80% RH						
Display permanence (Commercial in-window)	3+ years laminated, 1+ years unlaminated with Original HP 91 Photo Inks; 1+ years unlaminated, 2+ years laminated with Original HP 771 Vivid Photo Inks; 1+ years unlaminated, 1+ years laminated with Original HP 70 Photo Inks or HP 83 UV inks ⁴						
Display permanence (Indoor home or office)	200+ years away from direct sun with Original HP 91 or HP 70 Photo Inks; 100+ years with Original HP 83 UV inks ⁵						
Water resistance	Water resistant using Original HP 91 or HP 70 Photo Inks or Original HP 83 UV inks ⁶						
Dry time	Instant dry (at 23° C, 50% RH)						
Lamination	Yes, with thermal, heat assist, and pressure-sensitive film laminates						
Shelf life	1 year, unopened in original packaging						
Storage temperature	0 to 40° C / 32 to 104° F						
Storage humidity	5 to 95% RH						
Country of origin	Product of Switzerland						
Ordering information	Product numbers	s Roll sizes	UPC codes	Region			
	CG459B	610 mm x 30,5 m (24 in x 100 ft)	848412013382	Worldwide			
	CG460B	914 mm x 30,5 m (36 in x 100 ft)	848412013399	Worldwide			
Warranty		rinting materials are free from defe see globalBMG.com/hp/MediaWar		workmanship. For warranty			

⁴ Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see **globalBMG.com/hp/t/printpermanence**.

For detailed information on the HP large format print media portfolio and to order, visit

globalBMG.com/hp

© 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



⁵ Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see **globalBMG.com/hp/t/printpermanence**.

Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see **globalBMG.com/hp/t/ printpermanence**.